

```

# start of /etc/exim/exim.conf

#####
#           EXIM CONFIGURATION           #
#####

qualify_domain      = red.example
qualify_recipient   = red.example

domainlist my_local_domains = /etc/exim/exim-local-domains.txt

hostlist my_relay_from_hosts = /etc/exim/exim-relay-mail-from-this-list-of-  
ip-addresses.txt

acl_smtp_rcpt      =      my_receive_acl

#####
#           ACL CONFIGURATION           #
#####

begin acl

  my_receive_acl:

    accept hosts =:

    accept domains      = +my_local_domains
      endpass

    accept hosts        = +my_relay_from_hosts
      endpass

    deny message        = relay not permitted

#####
#           ROUTERS CONFIGURATION       #
#####

begin routers

  my_external_domains_router:
    domains = !+my_local_domains
    ignore_target_hosts = 0.0.0.0 : 127.0.0.0/8
    driver = dnslookup
    transport = my_remote_smtp_transport
    no_more

  my_local_domains_router:
    driver = accept
    check_local_user
    transport = my_local_delivery_transport
    cannot_route_message = unknown user
    no_more

#####
#           TRANSPORTS CONFIGURATION    #
#####

begin transports

  my_remote_smtp_transport:

```

```
driver = smtp

my_local_delivery_transport:
driver = appendfile
file = /var/mail/$local_part
delivery_date_add
envelope_to_add
return_path_add
group = mail
mode = 0660

#####
#                RETRY CONFIGURATION                #
#####

begin retry

# Retry..        every 10 mins for 2 hours
# Then..        every hour for 24 hours
# Finally..     every 6 hours for 4 days

# Domain        Error        Retry..        Then..        Finaly..
# *             *            F,2h,10m;    F,24h,1h;    F,4d,6h

# end of /etc/exim/exim.conf
```

```
# start of /etc/exim/exim-local-domains.txt

red.example
*.red.example

# end of /etc/exim/exim-local-domains.txt
```

```
# start of file /etc/exim-accept-mail-from-this-list-of-ip-addresses.txt

127.0.0.1
10.0.0.0/8

# end of file /etc/exim-accept-mail-from-this-list-of-ip-addresses.txt
```