

```

# start of /etc/exim/exim.conf

#####
#                EXIM CONFIGURATION                #
#####

.include /etc/exim/exim-local-settings.txt

qualify_domain      = red.example      (remove this line)
qualify_recipient   = red.example      (remove this line)

domainlist my_local_domains = /etc/exim/exim-local-domains.txt

hostlist my_relay_from_hosts = /etc/exim/exim-relay-mail-from-this-list-of-
ip-addresses.txt

acl_smtp_rcpt      =          my_receive_acl

#####
#                ACL CONFIGURATION                #
#####

begin acl

my_receive_acl:

    accept hosts =:

    accept domains      = +my_local_domains
    endpass

    accept hosts        = +my_relay_from_hosts
    endpass

    deny message        = relay not permitted

#####
#                ROUTERS CONFIGURATION            #
#####

begin routers

my_redirect_router:
driver = redirect
data = ${lookup{$local_part}{$domain}lsearch{/etc/exim/exim-redirect-mail-
for-this-list-of-users.txt}}

my_external_domains_router:
domains = !+my_local_domains
ignore_target_hosts = 0.0.0.0 : 127.0.0.0/8
driver = dnslookup
transport = my_remote_smtp_transport
no_more

my_local_domains_router:
driver = accept
check_local_user
transport = my_local_delivery_transport
cannot_route_message = unknown user

```

```

no_more

#####
#                TRANSPORTS CONFIGURATION                #
#####

begin transports

my_remote_smtp_transport:
  driver = smtp

my_local_delivery_transport:
  driver = appendfile
  file = /var/mail/$local_part
  delivery_date_add
  envelope_to_add
  return_path_add
  group = mail
  mode = 0660

#####
#                RETRY CONFIGURATION                #
#####

begin retry

# Retry..        every 10 mins for 2 hours
# Then..         every hour for 24 hours
# Finally..      every 6 hours for 4 days

# Domain        Error        Retry..        Then..        Finaly..
# *             *           F,2h,10m;    F,24h,1h;    F,4d,6h

# end of /etc/exim/exim.conf

```

```

# start of /etc/exim/exim-local-domains.txt

red.example
*.red.example

# end of /etc/exim/exim-local-domains.txt

```

```

# start of file /etc/exim-accept-mail-from-this-list-of-ip-addresses.txt

127.0.0.1
10.0.0.0/8

# end of file /etc/exim-accept-mail-from-this-list-of-ip-addresses.txt

```

```
# start of /etc/exim/exim-local-settings.txt

qualify_domain           =           red.example
qualify_recipient        =           red.example

ignore_bounce_errors_after =         2d
timeout_frozen_after     =           7d
daemon_smtp_ports        =           25
delay_warning             =           24h
received_headers_max     =           30

# end of /etc/exim/exim-local-settings.txt
```

```
# start of /etc/exim/exim-redirect-mail-for-this-list-of-users.txt

root@red.example:        admin@red.example
boss@red.example:        pa@red.example
john.smith@red.example:  jsmith@red.example
fired@red.example:       hired@red.example

# end of /etc/exim/exim-redirect-mail-for-this-list-of-users.txt
```